Institut des Nanotechnologies de Lyon UMR 5270

Surface modifications of oxides using the silanisation reaction

T. Géhin, C. Yeromonahos, V. Monnier, V. Dugas, M. Phaner Goutorbe, E. Laurenceau, J-P. Cloarec et I. Nabeth et Y. Chevolot

Introduction



Adjust surface properties:
Adhesion, wettability…
-Self assembled monolayer

Y.G. Bi ***et al,*** Nanophotonics, 7 (2017)

Coupling agents



Oxide reactive groups



Pujari et al, Angew. Chem. Int. Ed. 2014, 53, 6322 – 635

Organo-silanes

Hydrolysable group

Organic chain

$$(R)_z\text{-}SiX_{(4-z)}$$



Monofonctionnal < Difonctionnal < Trifonctionnal

Organo-silanes

Hydrolysable group

Hydrocarbon chain

$$(R)_z\text{-}SiX_{(4-z)}$$



Chlorosilane



Alcoxysilane:
Methoxysilane: CH_3O
Ethoxy silane: CH_3CH_2O

$$EtO < MeO < Cl$$

Silanisation reaction: step 1

- Formation Silyl ether: Si-O-M
- 2 mechanisms:
  - Anhydrous conditions: one step reaction but 300-400°C or base catalyst
  - **Water: 2 step reaction**

Dugas ***et al***, Use of Organosilanes in Biosensors, Novascience, 2010

Silanisation reaction: step 1



Dugas ***et al***, Use of Organosilanes in Biosensors, Novascience, 2010

Silanisation reaction: step 2



Dugas ***et al***, Use of Organosilanes in Biosensors, Novascience, 2010

Water content and polymerisation



Dimer by-product

Monfunctionnal

vs multifunctionnal



high water content
high concentration

proper water content,
ideal solvent
ideal concentration



Pujari et al Angew. Chem. Int. Ed. 2014, 6322

Stability


Silane Layer Stability
Excellent
Good
slight
none
Silica (quartz, glass, silicon dioxide)
Aluminium
Copper
Steel Iron
Nickel
Zinc
Lead
Graphite

Phosphonic acids

DA

Catechol



TiW

APDMES

Silane



TiW

APPA

Phosphonic acid



TiW





Zhang et al, Langmuir 2019, 35, 29, 9554–9563

UE and per- and polyfluoroalkyl substances (PFAS)



https://fr.wikipedia.org/wiki/Substances_per-_et_polyfluoroalkyl%C3%A9es
https://echa.europa.eu/fr/-/echa-publishes-pfas-restriction-proposal

Conclusions

- Surface hydroxyls,
- Chlorosilane: corrosion,
- Layer stability:
  - Polymerisation,
  - Materials,
- Layer reproducibility:
  - Mono vs mutifonctionnal,
  - Water content,
- Phosphonic acids,
- Restriction use of PFAS to come

Remerciements

nanolyon

Thank you for your attention

Polymérisation non contrôlée



Stabilité couche silane difonctionnel > trifonctionnel

M. Zelsmann ***et al***, J. Vac. Sci. Technol. B , 2009, p. 2873